

# Index

Page numbers followed by the letter n indicate entries in notes, and page numbers followed by the letter b indicate entries in boxes.

- Aben, Katja K. H. 83  
Acemoglu, Daron 116  
adult mortality 2–3; global goals for reduction of 6, 59–60, 145; IFs adjusted base case forecasts 145; in IFs integrated scenario analysis 151–2, 154; impact of road traffic accidents 85, 86–7; patterns affecting life expectancy measure 13, 56; WHO definition 13  
Advisory Committee to the United States Surgeon General 82  
Afghanistan 2, 28n, 153  
Africa 28n, 61, 110, *see also* North Africa; sub-Saharan Africa; individual countries  
age: and accumulation of noncommunicable diseases 10; as factor in analysing risks 45–6, 109, 110; in global goals for disease reduction 58–9; in IFs approach to health and productivity 122, 134; and longevity 23, 124–5, 141, 143; in measurement of morbidity and mortality 13, 16, 23, 33, 58, 101; and population in IFs integrated scenarios 148  
agriculture 49, 159; effects of chemicals 90; increased productivity in low mortality scenario 131–2, 133, 135; IPCC on risks from global warming 105, *see also* crop production  
Ahluwalia, Montek S. 76  
AIDS *see* HIV/AIDS  
air pollution 4, 6, 7, 24  
air pollution (indoor) 64, 72, 92, 94, 95, 97–8, 111, 158; alternative scenarios 99–100; from solid fuel use 73, 91, 98–9  
air pollution (outdoor urban) 73, 91, 92, 95, 100–2, 111, 158  
alcohol use/abuse 74, 109, 143, 144, 148  
Alma Ata Declaration (1978) 5, 26  
Alsana, Marcella 126  
alternative health futures 6, 7, 8, 30, 38, 157, 160; adult BMI and related mortality 80–2; biological context and human activity 139–40, 148, 154–5; childhood undernutrition and mortality 77–8; complexity and uncertainties 136, 159; disease burden patterns 149–52; economic consequences 153–4; education 68–9; GDP per capita 67–8; integrated scenario analysis 146–54, 155, 157; time and technology 69–70; tobacco use and related mortality 84–5; vehicle ownership and fatality rates 86–7, *see also* global health futures  
AngloAmerican Mining 120  
“Anglo-Saxon” societies 24–5  
Angola 153  
antibiotics 23, 24, 90, 91, 142, 143  
antiretroviral therapy 65, 120  
Arora, Suchit 115  
Ashraf, Quamrul H. 117, 123  
Asia 78, 83, *see also* Central Asia; East Asia; South Asia; individual countries  
Australia 83  
avian flu 143  
Baldacci, Emmanuele 122  
Bangladesh 11–12, 12–13, 76, 122  
Barro, Robert J. 121  
Becker, Gary 115, 118  
behavioral changes: in Becker’s theory of human capital 115; and decline in transmission of HIV 65; proximate risk factors of health outcomes 16, 72, 73  
behavioral risks: in “Anglo-Saxon” societies 25; and decline in life expectancy in Russian Federation 24  
Bill and Melinda Gates Foundation 26  
biology: certainty of death 9; in IFs integrated scenario analysis 146, 147; interaction of human activity with 139–40, 144, 148, 155; interactions affecting health 17, 27; and uncertainties about technology 6, 23–4, 138–9, 145  
Bloom, David E. 115, 126  
body mass index (BMI) 73, 78, 79, 80, 158; alternative scenarios 80–2; and risk of diabetes 35, 47  
Bongaarts, John 28n  
Botswana 2, 53, 148  
Bozzoli, Carlos 122  
Brazil 141, *see also* BRICS  
breast cancer 80  
Brenkert, Antoinette 106  
BRICS (Brazil, Russia, India and China) 58, 141, 153  
Brundtland, Gro Harlem 30  
Caldwell, John 19, 25  
Campbell-Lendrum, Diarmid 90–1, 104  
Canada 24–5, 83  
cancers 3, 14; due to pollution 98, 144; health risks predisposing people to 72, 78, 80  
Canning, David 115, 126  
capabilities *see* human capabilities framework  
capital: and GDP per capita 68; in IFs approach to health and economic growth 118, 123–6, 133–4, 134; in theories of economic growth 115, 117, 119, 132  
carbon dioxide 105, 106–7, 108  
cardiopulmonary diseases 100, 101, 102  
cardiovascular disease 3, 14, 35; attributable to environmental factors 94; and BMI risk factor 78, 81; as disability affecting productivity 120; due to urban air pollution 91, 100, 101; health risks predisposing people to 72; in IFs base case forecasts 60, 102, 143; in IFs combined risk analysis 110; as potential outcome of heat and cold stress 104; and reductions in cause-specific mortality 48; smoking as risk factor 82, 85; stagnation of gains in U.S. mortality rate 23, 144  
Caribbean 59, 63, 69, 81, 101; effect of mortality changes on GDP 135; in IFs integrated scenario analysis 152; working-age demographics 129  
Carson, Rachel 90  
Carter, Nicholas 76  
Central African Republic 153  
Central Asia 60, 101; diabetes-related mortality rates 81; effect of mortality changes on GDP 128; in IFs integrated scenario analysis 151, 152; life expectancy rates in former communist countries 53  
Central Europe 96  
cerebrovascular disease 80

- Chad 153
- chemicals: and environmental and health concerns 91, 111; spraying of disease vectors 24, 139, 142
- Chenery, Hollis 76
- childhood undernutrition: alternative scenario to decrease mortality 77–8, 88; association with communicable diseases 21, 44–5, 46–7; as proximate risk factor 35, 72, 73, 74–8, 109; resulting in “stunting” 120–1, 122, 131
- child mortality: from diarrheal diseases 64, 97; differences between high- and low-income countries 3; from diseases due to indoor air pollution 64, 98; GISMO forecasts 63–4; global goals 5–6, 58, 59; IFs approach regarding health spending 41, 44; IFs forecasts 126–7, 145; in IFs integrated scenario analysis 151–2; and labor force size 134; patterns affecting measure of life expectancy 13; and undernutrition 75, 77–8, 107, 122, 158; UNPD forecasts 62; WHO definition 13, *see also* infant mortality
- children: health burden from global climate change 105; health spending and outcomes in poorer countries 25; reduction of communicable diseases in epidemiologic transition 3; respiratory infections due to urban air pollution 91, 98, 99, 102; significance of health for future life 120, 126, *see also* child mortality; childhood undernutrition; infant mortality
- China: in IFs integrated scenario analysis 148, 151, 154; impact of turmoil of “Great Leap Forward” 53, 141; improvements in exposure to indoor air pollution 98–9; increase in food demand 76; mortality changes and economic growth 128, 154; rise in tobacco use 83; rising rates of road traffic deaths 87, *see also* BRICS
- cholera 90, 105, 143
- chronic diseases: in changing disease burden 58, 126–7, 144, 150, 151; and measuring morbidity 14, 49; possibility of increase 52; reductions in cause-specific mortality 48–9; rise in United States 21; and smoking 41–2; time lag between risk factor, disease, and death 80–1, 158, *see also* diabetes; respiratory diseases
- chronic obstructive lung disease 82, 98
- civil society organizations 27
- climate change: alternative scenarios for health effects 105–8, 108; as health risk factor 63, 73, 90, 91, 92, 102–5, 111, 158; human-based changes 4, 27; potential health impacts 103–5, 112
- Cline, William R. 106
- Coca Cola 120
- Cohen, Aaron J. 100, 101, 101–2
- Cold War, end of 143
- Collishaw, Neil E. 83
- colorectal cancers 80
- Commission on Macroeconomics and Health (2001) 132
- Commission on Social Determinants of Health (CSDH, 2008) 5–6, 7, 24, 54, 59–60, 137n, 145, 152, 159, 160
- common property resources, overuse of 136
- communicable diseases: age factor 16, 126, 158; alternative futures 142–3, 149–50; compared with injuries in IFs forecasts 69–70; decline affecting life expectancy forecasts 54; in GBD typology 35, 46; global shift away from deaths due to 56, 58, 60, 149–52, 155; health risks predisposing people to 21; in IFs forecasts 126, 127, 144, 146, 148, 155; impact of HIV/AIDS on burden of 54, 55, 138; importance of new technologies 24; interaction of undernutrition with 75–6; possibility of new or reemerging epidemics 4, 6, 27, 54, 55, 91, 138, 143; and productivity in lower-income countries 131; recession of disease pandemics 3–4; reduction with efforts to reduce environmental risks 111; as significant cause of deaths 2; in theory of epidemiologic transition 3, 10; and time in IFs combined risk analysis 110–11, 158; uncertainties surrounding battle against 23, 26, 27, 159; undernutrition and child mortality from 45, 46–7, 107–8; in WHO classification system 10, 55
- communism, fall of 148
- community organizations 27
- Comparative Risk Assessment (CRA) project 6–7, 21–2, 35, 44–6, 73–4, 85, 93, 109–10, 111, 157
- conflict 2, 28n, 77, 155
- Congo, Democratic Republic of 153
- Congo, Republic of 153
- contraception 72, 119
- Corvalán, Carlos 90–1, 93–4
- Costello, Anthony 103
- Cropper, Maureen 66, 86
- crop production, potential effects of climate change 106–7, 108
- cryptosporidiosis 105
- Cuba 148
- cultural change 20, 23
- Dargay, Joyce 43, 86
- DDT 139, 143
- deaths *see* mortality
- Deaton, Angus 122, 125–6
- Demographic and Health Surveys (DHS) 14, 122
- demographics: in forecasting systems 30, 38; and health modeling 49, 157; in IFs approach to health and economic growth 129–30; IFs model 30–1, 32, 70, 118–19; impact of reduction in communicable diseases 158, *see also* population
- dengue 94, 95, 96
- developed countries: deviating from expected income–health relationship 24–5; rising obesity levels 144
- developing countries: approach to nutritional sufficiency 74–5; Caldwell’s study 19, 25; and failures of international health actions 26; health expenditure linked with educational attainment 122; infant mortality rates 2; need to address traditional environmental risk factors 111; patterns of tobacco use 83; possible future slowing of economic growth 148; possible increased productivity in low mortality scenario 131, *see also* low-income/poorer countries
- development agencies, global health initiatives 26, 142
- de Waal, Alex 28
- diabetes 3, 4, 14, 79, 120, 144; formulations in structural models 34, 35, 36, 39, 47; IFs formulation of mortality rates from 47–8, 81, 143; type 2 and BMI risk factor 35, 51n, 78, 80, 81
- diarrheal disease 20, 21, 40, 46, 95; adverse effect on nutrition 75, 95; attributable to unsafe water, sanitation, and hygiene 95, 96; child deaths from 64, 97, 98; in IFs forecasts for deaths by communicable diseases 55; interaction of undernutrition with 76; from pathogens transmitted through food and water 105; reduction with efforts to reduce environmental risks 111
- digestive disorders 35
- disability: concept of disability weights 15, 16, 109, 120; effects on productivity 119–21, 133, 134; GBD measures and analyses 15–16, 34, 49, 135
- disability-adjusted life years (DALYs) 15–16, 34, 48, 62–3, 75; attributable to environmental risk factors 93–5, 95, 98, 100, 105; comparative risk analysis of global scenarios 108–9; and lost years of productivity 120
- disadvantaged groups, exclusion from health improvements 160
- disease burden: Comparative Risk Assessment (CRA) project 21–2, 35, 73–4; environmental 92, 92–5, 95, 98; in forecasting global health 29–30, 38, 127; IFs base case forecasts 56–8; measuring 14, 16; patterns across alternative health futures 149–52, *see also* Global Burden of Disease (GBD) project
- disease control 2, 4, 26, 142
- diseases: categories in GBD model 39, 46; environmental risk factors 27, 91–2, 95; global goals for reduction of 5, 58–9; measures of occurrence 14–15; specialized disease-cause models 36, 38; vector-borne and water-borne 104; WHO classification system 10–11, *see also* chronic diseases; communicable diseases; morbidity; noncommunicable diseases
- disease vectors: chemical spraying of 24, 139, 142; global transmission of 24; influence of climate on 104

- Doak, Colleen M. 78–9
- Doll, Richard 82
- Donora, Pennsylvania 90
- drugs: emergence of diseases resistant to 23, 27, 140; markets and prices 5, *see also* pharmaceutical treatments
- East Asia 59, 63, 80, 84, 87, 101; effect of mortality changes on GDP 128; in IFs integrated scenario analysis 150, 151, 154; working-age demographics 12
- Eastern Europe 83, 96
- Ebi, Kristie L. 104, 106
- economic activity, as driver of urban air quality 100
- economic changes: and changing health patterns 30, 38; consequences of alternative health futures 153–4; due to changing age structures of populations 130; in IFs integrated scenario analysis 149; role in decline of life expectancy 24
- economic crisis: debt in Latin America 76; as threat to financial support for health incentives 143
- economic development: environmental risk factors 111; expected in South Asia 77; leading to sedentary lifestyles 79; and progress in human development 28; in theory of epidemiologic transition 3
- economic dislocation, induced by climate change 104, 105
- economic growth: alternative scenarios for global life expectancy 68, 155; as distal driver of health outcomes 4; forward linkages from health to 117–26, 128, 129–35, 136, 157, 159; possibility of future slowing of 148; relationship with health in different models 115–17, 159
- economic systems: and health modeling 49, 114, 157; model in extended IFs system 31–2, 70; time-related influence on health risks 73
- education: alternative health futures 68–9; and better health outcomes for women 19, 20; as driver of health outcomes 7, 17, 19–20, 22, 27, 35, 52–3; expenditures affected by increased spending on elderly 132; and GDP per capita 68–9; in IFs approach to health and productivity 119, 121, 122–3; link with environmental health risk factors 97; model in extended IFs system 30, 32; in Sen’s human capabilities framework 9, 115; in theory of epidemiologic transition 3
- elderly people: affected by reductions in noncommunicable diseases 126, 150; in IFs integrated scenario analysis 153, 154, 155; increase impacting on economic growth 129, 132, 133, 154, 155; increasing expenditures on 124, 132, 159; potential health impacts of climate change 104; projected increase in 101
- endemic diseases 4
- endometrial cancer 80
- energy systems 49, 73
- environment: empirical evidence of impact on human health 92–5; health risks in GISMO forecasting system 63, 63–4; historical relationship with human health 90–1; human-based change and drivers relating to 4, 6, 20, 27, 139, 158; IFs model 32, 39; MDG for sustainability 5; and noncommunicable diseases 10, 143; proximate health risk factors 20, 72–3, 74, 108–11, 112; risk factors now and in future 95–108, 111–12, 144, 159; risk factors and risk transition 91–2, 102, 111, *see also* climate change; social environment
- environmental footprints 136
- epidemiologic transition 3–4, 4, 7, 13, 157, 159; health risk transition within 73, 92, 111, 144, 158, 159–60; post-World War II era 116, 128, 142; questions left unaddressed by 9, 22–3
- Equatorial Guinea 153
- ethical issues, and technological interventions 23
- Ethiopia 76
- Europe: diabetes-related mortality rates 81; effect of mortality changes on GDP 128; heat wave in 2003 104; historical studies of industrial revolution 115; IFs forecasts in relation to global goals 59, 60; in IFs integrated scenario analysis 151, 152; levels of particulate matter concentrations 101; life expectancy rates in former communist countries 53; mortality registration coverage 28n, *see also* Eastern Europe; Southern Europe; Western Europe; individual countries
- European Commission (EC) 32
- Ezzati, Majid 17, 27, 41, 91, 100, 102, *see also* Comparative Risk Assessment (CRA) project
- families: financing of education and old-age support 125; formation strategies 118
- family planning programs 128, 159
- famines 76
- Fernández-Villaverde, Jesús 125–6
- fertility: in IFs approach to health and economic growth 117–19, 128–9, 129, 132, 135, 158–9; in population forecasting 33, 69, 158–9
- Fewtrell, Lorna 95–6
- Filmer, Deon 25–6
- Fishman, Steven 46
- Fogel, Robert W. 28, 115, 121
- foods: factors causing malnutrition and undernutrition 74–5, 76–7, 105; global impacts of population increases on 131; impacts of climate change on production 105, 106–7; importance of calorie availability 74–5, 76–7; negative effects of globalization 5; risk factors in unhealthy diets 10, 78, 143, 144, *see also* childhood undernutrition; nutritional deficiencies; undernutrition
- forecasting: global health outcomes 8, 29–30, 37–8, 49; health model in extended IFs system 31, 31–2; IFs base case 52–60, 70; purposes of 6–7, 29–30, 37–8; structural models 34–9, 49, 66, 70; time limits 156
- foreign aid 132–3, 135
- foreign direct investment (FDI) 125, 126
- Framework Convention on Tobacco Control (2003) 5, 143
- France 61
- Fraser Institute 137n
- Frongillo, Edward A. 75
- Gabon 153
- Gately, Dermot 43, 86
- Gates, Bill and Melinda *see* Bill and Melinda Gates Foundation
- GDP per capita: and education in alternative health futures 67–9; in GISMO modeling system 36–7; in IFs approach to health and economic growth 121, 126, 128, 134, 135, 159; in IFs integrated scenario analysis 154; in low mortality scenario 135; relationship with life expectancy 18–19, 147–8; and studies on public health spending 25–6, *see also* income
- gender: differences in population BMI 80; as factor in health outcomes 19, 20, 25; factors in smoking rates 84, 84–5, 85; in GISMO forecasts of mortality rates 63; life expectancy of males in IFs forecasts 54
- genetic technologies 23, 139
- Ghana 153
- Global Burden of Disease (GBD) project (WHO): ambitious goals 13; approach used in IFs model 31, 39–40, 53, 69–70, 70, 145, 155, 157; categories of diseases 39, 46; concern over childhood underweight 75; distal drivers in health outcomes model 7, 16, 17, 17–18, 20, 23, 38, 39–40, 69; forecasting aims and analyses 6–7, 11; as landmark structural model 34, 34–5, 49, 66; limitation in comparative risk assessments 35–6; measures showing impact of disability 13, 15–16, 34, 120, 135; mortality forecast for diabetes 79; program on environmental burden of disease 112n; regional forecasts of death and disability 62–3; road traffic accident forecasts 66–7
- Global Fund to Fight AIDS, Tuberculosis, and Malaria 26
- global health: agenda 5; drivers of health outcomes 4–5; initiatives 26–7, 27, 139, 142; key problems today 2; positive statements on improvements 60; questions on changing patterns 52; “silent crisis” of climate change 103; theory of epidemiologic transition 3–4
- global health futures: all-cause mortality models 32–3; IFs models for forecasting 6, 29–30, 70, 146, 152–3, 155, 156; structural

- models 34–9, 49; uncertainty surrounding 27–8, 154–5, *see also* alternative health futures
- global health governance 5, 26, 26–7, 142–3, 155, 159
- Global Humanitarian Forum (2009) 104
- Global Integrated Sustainability Model (GISMO) (Hilderink and Lucas) 36–7, 63–4, 106
- Global Model of Ambient Particulates (GMAPS) 100–1
- Global Urban Air quality Model 100–1
- global warming 6, 7, 27, 92, 139, 158, 159
- Global Water Supply and Sanitation Assessment (WHO and UNICEF, 2000) 96
- Gompertz, Benjamin 12b
- Gosling, Simon 104
- governments 25, 156
- Grantham-McGregor, Sally 121b
- Graunt, John 1
- Great Britain, advances in human health 1; economic effect of great plagues 115; *see also* United Kingdom
- groundwater, overuse of 159
- Habicht, Jean-Pierre 75
- Hajat, Shakoor 104
- Hammer, Jeffrey S. 26
- health: fundamental questions 9, *see also* global health
- health expenditure: as factor in health outcomes 19, 24–6, 114, 134; in IFs approach to child mortality 41, 44; in IFs approach to health and economic growth 122, 123, 124, 126, 134; link with environmental health risk factors 97
- health futures *see* alternative health futures; global health futures
- health outcomes: CSDH goals 5–6, 54, 59–60, 159, 160; distal drivers influencing 4, 7, 16–17, 17–20, 27, 52–3, 70; forecasting 6, 8, 29–30, 37–8, 49; proximate drivers 4, 7, 16–17, 18, 20–2, 27, 35–6; relationships between proximate and distal factors 72–3, 154; role of alternative scenario analyses 87–8, 108; super-distal drivers influencing 4–5, 17, 22–7, 27, 39, 91; time and human-based changes 20, 23–4, 27, 69–70, 78
- health risk factors: combined risk analysis 109–10; comparative risk analysis 108–9; IFs approach to combined risk analysis 110–11, 158; related to noncommunicable diseases 143–4; used in IFs base case forecasts 53, 70, 72–3, 73–4, *see also* Comparative Risk Assessment (CRA) project
- health systems 17, 19, 20, 24–5, 26, 27, 159; disruption in Russian Federation 148; evolution in time 73; human-based changes 5, 6, 39; poor quality in “Anglo-Saxon” societies 25
- hearing loss 48
- Henley, Jane 82
- high-income/richer countries: better health outcomes over time 22; decline in smoking rates 143; demographics of labor supply 129, 130, 131; IFs adjusted forecasts for noncommunicable diseases 145; IFs forecasts of vehicle ownership and road fatalities 87; IFs life expectancy forecasts 53, 54, 127; impacts of obesity 78, 81; increase in old-age dependency 159; mortality differences with sub-Saharan Africa 3, 57; potential gains in life expectancy 110; primary causes of deaths 2; rise in portion of retired citizens 52
- Hilderink, Henk *see* Global Integrated Sustainability Model (GISMO)
- Hirsch, Gary B. 50n
- historical patterns: life expectancy 53–4, 55, 140–1; limited success of disease control 142; smoking 82, 84
- HIV/AIDS: adults affected by reductions in 126; in countries undergoing epidemiological transition 144; data for measures of occurrence 14; in different theories of economic growth 115; as disability affecting productivity 120; expenditures on treatment 25, 124; global goals for halting and reversing incidence of 5, 58, 60; global health initiatives against 26, 139, 142; growing concerns and uncertainties 4, 10, 23, 27, 28, 64–6, 138, 143; in IFs approach to health and economic growth 118, 148; in IFs forecasts for deaths by communicable diseases 55, 60, 142, 144, 158; in IFs integrated scenario analysis 151; impact on life expectancy in African countries 2, 13, 53, 141; as key factor in patterns of life expectancy 53, 54–5, 148; special models 33, 36, 41, 42–3; UNAIDS and IFs forecasts compared 64–6
- Homer, Jack B. 36, 50n
- hormonally active agents 90
- human activity/agency 30; directed at proximate risk factors 108–9; and environmental change 27, 139; and failures in fight against disease 143; in IFs forecasts for NCDs and CDs 144; in IFs integrated scenario analysis 146, 155; interaction with biological systems 139–40, 148, 154–5; to mediate effects of climate change 104; super-distal factors linked to 4–5, 17, 23, 23–4, 27, 39, 139; and technology 4, 6, 20, 23, 27, 139; and uncertainties around forecasting 6, 27, 138
- human capabilities framework 9, 115
- human capital 115, 118, 119
- human development: in extended IFs system 30, 39, 114, 126, 158–9; relationship with health 1, 7, 9, 17, 29–30, 38, 135, 138, 157, 160; super-distal drivers influencing 17
- Human Development Index (HDI) 116, 135
- human genome, potential to advance life expectancy 6, 138–9, 147, 159
- human papilloma virus 28n
- Huynen, Maud M. T. E. 91, 155n
- hybrid health modeling approach 7, 36, 38–9, 49; IFs system 39–49, 146, 157
- hygiene 73, 92, 94, 95–7, 158
- hypertensive disease 80
- Iglesias, Ana 106
- income: as driver of health outcomes 7, 16, 17, 18–19, 22, 25, 27, 52–3; in IFs approach to health and productivity 122, 125; levels and convergence of mortality rates 144; link with environmental health risk factors 95, 97; link with food availability and undernutrition 74, 76; relationship with health 18–19, 24, 52, 68, 73, 116; relationship with road traffic deaths 43; relationship with vehicle ownership and accidents 85–6, 87; and worldwide increase in tobacco use 83, *see also* GDP per capita
- India 76, 77, 87, 122, 144, 151, *see also* BRICS
- indigenous populations 160
- infant mortality: in developing countries 2; drop in world rate 2; and GDP per capita 18; global goals and IFs forecasts for reduction of 5, 58, 59; in IFs approach to health and economic growth 118; IFs forecasts 64, 126–7; in IFs integrated scenario analysis 151; poor showing of United States 24, *see also* child mortality
- infectious diseases *see* communicable diseases; sexually transmitted infectious diseases
- injuries: in changing disease burden 58, 126, 151; cumulative years of life lost due to 69–70; in GBD typology 35; and new challenges for global initiatives 26; risk reduction in IFs combined risk analysis 111; as significant cause of deaths 2; in WHO classification system 11
- Inoue, Mie 83, 84, 85
- insecticide, use against mosquitoes 134, 139
- Intergovernmental Panel on Climate Change (IPCC) 105, 112n
- International Futures (IFs) global modeling system 6, 15; adjustment of base case forecasts 141, 144–6; aims and availability of 156–7; approach to combined risk analysis 110–11; base case forecasts 52–60, 67, 70, 79, 138, 140, 155; extensions to include proximate risk factors 44–8, 70, 73–4, 110–11; GBD model foundation 31, 39–40; health model 30, 31, 31–2, 114; larger model for alternative global futures 30–2; special structural models 41–4, 44; and UNPD life expectancy forecasts 61–2, 70; variables for hybrid and integrated system 39, 158

- International Health Regulations (IHRs) 5, 28n, 142, 142–3
- International Institute of Applied Systems Analysis (IIASA) 33
- International Monetary Fund (IMF) 18
- International Road Federation 66
- internet 136
- interventions: in debate over drivers of health improvement 17; demographic and economic impacts 126–9, 134, 135; in IFs model for combined risk analysis 108, 110–11; models to help identify opportunities for 30, 38, 39; relating to proximate risk factors of health outcomes 20, 44; in smoking scenarios 84, 85; and uncertainties in IFs forecasts 52, 70, 159; understanding costs and benefits 7
- intestinal nematode infections 94, 95, 96
- Investing in Health see World Development Report (World Bank, 1993)*
- Iraq 28n
- ischaemic heart disease 80
- Jamison, Dean T. 6, 121
- Japan 4, 13, 56, 83, 143, 145
- Japanese encephalitis 94, 95, 96
- Johnson, Simon 116
- Joint United Nations Programme on HIV/AIDS (UNAIDS) 36, 42, 55, 64–6, 122
- Kalemi-Ozcan, Sebnem 119b
- Kenya 65
- Kiemeny, Lambertus A. 83
- Kopits, Elizabeth 66, 86
- Kovats, R. 104
- Krueger, Dirk 125–6
- labor: effects of disability on 119–20; in IFs approach to health and economic growth 117–19, 123, 125, 129–30, 134; in models of economic growth 115, 116, 117
- Latin America 59, 63, 69, 76, 101; effect of mortality changes on GDP 135; health demographics affecting economic growth 129, 131; in IFs integrated scenario analysis 152; rise in obesity and overweight 78, 80, 81
- Lau, Lawrence J. 121
- lead pollution 91, 92
- less-developed countries *see* developing countries
- Lester, Ashley 117, 123
- life expectancy: alternative economic growth scenarios 68, 121; association with GDP per capita 18–19; “best-practice” societies 20–1; at birth (LEB) 5–6, 12; decline in conflict-torn countries 2; decline for post-Soviet Russian men 13, 24, 53; demographic and economic effects of interventions 127–9; gains in Great Britain since 1650 1; and GDP per capita in alternative scenario 147–8; global goals 5–6, 59–60; historical patterns 53–4, 55, 140–1; IFs adjusted base case forecasts 145–6; in IFs approach to health and productivity 122–3, 126, 133, 135; IFs base case forecasts 53–6, 60, 70, 143; in IFs integrated scenario analysis 152–3, 155; IFs and UNPD forecasts 33, 61–2, 70; impact of technology and time-related changes 23–4, 69–70; London in 1650 1; potential of human genome to advance 6, 138–9, 147, 159; potential impact of reversing BMI trends 81–2; in scenario without main health risks 110; slow progress in leading countries 144; and summarizing mortality rates 12–13; in theory of epidemiologic transition 3; use of years of life lost (YLL) measure 13, 14, 58
- lifestyles: shaped by changing economic systems 73; unhealthy 6, 21, 79
- liver cancer 15
- living standards 17, 18, 19
- Loncar, Dejan 34, 39, 41, 47, 48, 50n
- London 1, 90
- longevity: ethical issues around technology for 23; forecasts for 2100 143; in IFs integrated scenario analysis 153; and measures of life expectancy 13, 23, 140–1; and rise in incentive to save 124–5, 133
- Lopez, Alan D. 13, 34, 41, 83, 84, 85
- Los Angeles 100
- low-income/poorer countries: challenges around IHRs 142–3; confidence regarding mortality improvements 159; effect of recession of pandemics 4; health burden from global climate change 105; health spending and child health outcomes 25, 44; impact of environmental risks 94; limited economic and technological potential 145; potential gains in life expectancy 110; potential impact of reversing BMI trends 82; research into disease prevalence 14; slow progress compared with richer countries 22, *see also* developing countries
- Lucas, Paul *see* Global Integrated Sustainability Model (GISMO)
- lung cancer 34, 41, 82, 91, 102
- lymphatic filariasis 95
- Maeusezahl-Feuz, Mirjam 98
- malaria 39, 40, 46, 95; global initiatives in fight against 5, 26, 58, 142, 143; in IFs forecasts for deaths by communicable diseases 55, 60, 144, 158; prevention measures 4, 142; resurgence of 138, 148
- malignant neoplasms 35, 85
- malnutrition 7, 75, 78, 91, 95, 105
- maternal conditions 35, 46, 55, 56
- maternal mortality 5, 10
- Mathers, Colin D. 13, 34, 39, 41, 47, 48, 50n, 51n
- McKeown, Thomas 18
- McMichael, Anthony J. 103
- measles 28n, 46, 55
- Mehta, Sumi 98
- mental health 39, 48, 122
- mercury 91
- Mexico 141
- micronutrients 134
- Middle East 53, 59, 78, 87, 101, 154
- middle-income countries: confidence regarding mortality improvements 159; demographics of labor supply 130, 158; growing health risk factor 158; growth in vehicle ownership and road deaths 86, 87; impacts of obesity 78; pattern of smoking rates 84, 143; patterns of life expectancy 141, 153; slow pace of reduction in noncommunicable diseases 143
- Millennium Development Goals (MDGs) 5, 58–9, 63–4, 95, 96, 98
- minorities 160
- morbidity: data for measuring 11, 13–15; historical collection of statistics 10; and human biological vulnerabilities 17; in IFs approach to health and economic growth 124, 125, 126, 131; influence of distal drivers 44; and mortality combined as single statistic 15–16; relationship with mortality 13–14, 29, 49, 58, 131; shift in predominant causes 3, 58; in structural models 35, 36
- mortality: aggregate models 38; all-cause models 32–3; alternative scenarios for adult BMI 80–2; alternative scenarios for tobacco use 84–5; biological clarity of 9; from communicable and noncommunicable diseases 2–3; in comparative risk analysis 108–9; and competing risks 17; convergence of rates across income levels 144; data for measuring 10–12; deaths due to environmental factors 93–4, 95–6, 101, 102, 158; in GBD forecasting models 7, 35, 49, 145; historical collection of statistics 10; in IFs approach to health and economic growth 117–19, 122, 125, 126, 128, 129–30, 131, 134, 135; IFs base case forecasts 55–6, 70, 81; in IFs integrated scenario analysis 148, 151; influence of distal drivers 44; measures for summarizing 12–13; patterns in theory of epidemiologic transition 3–4, 9; projections for tobacco-related deaths 82; related to road traffic accidents 85–6; relationship with morbidity 13–14, 29, 49, 58, 131; threat of high rates due to AIDS 28; trends affected by time 23; from weather-related conditions 104, *see also* adult mortality; infant mortality
- Mozambique 65
- Mugabe, Robert 143
- Multiple Indicator Cluster Survey (MICS) 14
- Murray, Christopher J. L. 13, 34
- musculoskeletal conditions 48

- Namibia 13
- Nathanson, Constance A. 25
- National Intelligence Council (USNIC) projects 32
- Nelson, Gerald C. 108b
- Netherlands Environmental Assessment Agency, GISMO *see* Global Integrated Sustainability Model (GISMO)
- Nigeria 106–7
- noncommunicable diseases: age factor 16; compared with injuries in life expectancy forecasts 69–70; deaths in alternative scenarios 150; falling rates over time 47, 69, 70; futures 143–4; in GBD typology 35, 40; global shift to deaths from 58, 70, 127, 149–52, 155; health risks predisposing people to 21, 72, 143–4; in IFs combined risk analysis 110, 158; in IFs forecasts 56–7, 58, 126, 143, 146, 155, 157–8; and increase in post-retirement populations 134; measuring occurrence of 14; and new challenges for global initiatives 26; as primary cause of disease burden 56; as recent most significant cause of deaths 2, 70; slow progress in figures for 138, 146; in theory of epidemiologic transition 3, 10; in WHO classification system 10
- nongovernmental organizations 27, 139, 142
- North Africa 53, 59, 87, 101, 154
- North America 70, *see also* Canada; United States of America
- Norway 61
- nutritional conditions 35, 159
- nutritional deficiencies 10, 48, 55, *see also* childhood undernutrition; undernutrition
- nutritional health risks 20, 21, 72, *see also* foods
- nutrition transition 78–9
- obesity 7, 16, 21, 78, 139; and chronic diseases 34, 60; in developing societies 38, 143; as disability impacting productivity 120; drivers and forecasts 78–80, 88; as factor in prevalence of noncommunicable diseases 72, 73, 74, 143; as proximate health risk factor 87, 109, 110; varied prevalence across countries 81, *see also* overweight
- Omran, Abdel 3
- onchocerciasis 5
- oral rehydration therapies (ORTs) 28n
- Organisation for Economic Co-operation and Development (OECD) 101–2
- osteoarthritis 78, 80
- Ostro, Bart 100, 101–2
- overweight 34, 81, 109, 110, 158, *see also* obesity
- ozone 90, 92, 100, 102, 111
- Pacific countries 59, 63, 80, 84, 87, 98, 101; effect of mortality changes on GDP 128; in IFs integrated scenario analysis 150, 151, 154
- pandemics 3–4, 27, 158
- parasitic infections 55
- particulate matter concentrations 100–1, 102
- pathogens 104–5, 139, 147
- Patterns of Potential Human Progress series 6, 30, 137n, 156
- Patz, Jonathan A. 103
- Paxson, Christina H. 125–6
- Pelletier, David L. 75
- pensions 38, 132, 134
- perinatal conditions 10, 35, 55, 56
- Peto, Richard 41
- pharmaceutical treatments 24, 81, *see also* drugs
- physical activity/inactivity 78, 79, 109
- Piha, Tapani 83
- Pitcher, Hugh 106
- plagues 115
- Ploeg, Martine 83
- pneumonia 46, 64
- policy: aspects relevant to demographics 33; influencing vehicle ownership 86, 87, *see also* global health governance; health expenditure
- polio 26, 142
- political changes: and disruption of life in Russian Federation 24, 148; and disruption of support for global health initiatives 143
- political disorganization 2, 77
- political economy, variables in IFs approach to health 126
- political systems 25
- pollution 144, *see also* air pollution
- poorer countries *see* low-income/poorer countries
- Popkin, Barry M. 78–9
- population: changing structure 58; demographic and economic impacts of interventions 128; effects of low mortality scenario 131, 133; as factor in IFs combined risk analysis 111; factors influencing vehicle ownership 86; fertility decline and changing mortality outcomes 158–9; forecasting 32–3; GISMO projections 4; growth in post-World War II era 116; in health and economic growth models 117, 118, 123, 159; in IFs integrated scenario analysis 148–9; and life expectancy 33, 61; link with environmental health risk factors 97, *see also* demographics; United Nations Population Division (UNPD)
- population attributable fraction (PAF) 44–5, 93–4, 100
- poverty: and failures in health spending 26; and inequalities 25; MDG health goal for eradication of 5; measured by calories per day 76; narrowing of gap between rich and poor 53; relationship with environment 91
- President's Emergency Plan for AIDS Relief 26
- Preston, Samuel 18–19, 22, 23–4, 34
- preventability: communicable and noncommunicable diseases 10; and failures in post-World War II disease control 26, 142
- Pritchett, Lant 18, 25–6
- private donors 26
- private-public debates 5
- productivity: and GDP per capita 68; in IFs approach to health model 119–23, 134; in models of economic growth 115, 117, 148; in relationship with health and growth 9, 28, 119–23, 130–3
- Prüss-Üstün, Annette 93–4, 95, 96
- public health insurance programs 124
- public sector, health spending 25–6
- quality of life 134, 135
- Quintana-Domeque, Climent 122
- Rawls, John 30
- regions: in forecasting life expectancy 53–4, 54–5, 153; in GBD project 34
- regulatory mechanisms 5
- Rehfuess, Eva 98
- relative risk (RR) 44–5, 48
- religious beliefs and practices 23, 25
- reproductive behavior 74
- respiratory diseases 34, 35, 39, 40, 46; due to indoor air pollution 91, 98–9; due to urban outdoor air pollution 91, 100, 101, 102; with efforts to reduce environmental risks 111; in IFs forecasts for deaths by communicable diseases 55; IFs modification of mortality rates from 48; as potential outcome of heat stress 104; and smoking factor 47, 85
- richer countries *see* high-income/richer countries
- risks *see* behavioral risks; Comparative Risk Assessment (CRA) project; health risk factors; nutritional health risks; relative risk (RR)
- road traffic accidents 35, 38, 58, 139, 158; global forecasts 66–7, 85, 86; in IFs combined risk analysis 111; IFs special model for 41, 43, 86; patterns of vehicle safety and ownership 85–7, 88
- road traffic safety 72, 73–4, 74
- Rosenzweig, Cynthia 106
- Royal College of Surgeons 82
- rural areas 160
- Russia/Russian Federation 13, 21, 24, 141, 144, 148, *see also* BRICS
- Rwanda 153
- Sala-i-Martin, Xavier 121
- sanitation systems 4, 5, 7, 20, 26; as health risk factor 63–4, 72, 73, 91, 92, 94, 95–7; and undernutrition 76, 110
- savings 124–5, 125–6, 133–4
- schistosomiasis 94, 95, 96
- Sen, Amartya 9, 28, 30, 115
- Sevilla, Jaypee 115

- sexual behaviors 73, 74, 109
- sexually transmitted infectious diseases 72
- Shibuya, Kenji 83, 84, 85
- “sick building syndrome” 98
- Sierra Leone 2
- Singapore 61
- slum areas 92, 160
- Smeed, R. J. (Smeed’s Law) 43, 86
- Smith, Kirk R. 9, 17, 27, 91, 92, 95, 98, 100, 102
- smog 90
- smoking 7, 38; in base case and alternative scenarios 87, 88; and chronic diseases 41–2, 47, 60; GBD model for impact of 35, 41, 47; as health risk factor 72, 73, 74, 81, 143, 144, 158; in IFs combined risk analysis 110; IFs special model for 41, 41–2; stages of prevalence and associated mortality 83, *see also* tobacco use
- Snow, Dr. John 90
- Soares, Rodrigo 123
- social accounting matrix (SAM) 117, 125
- social change, time-related influence on health risks 73
- social development 3, 28
- social environment 4–5, 16, 20, 24–7, 139, 148
- social inequalities 23, 25
- social systems, as influence on health outcomes 24–5, 25
- socio-political changes 30, 38; with changing age structures of populations 130; model in extended IFs system 32, 39; with reduction in domestic conflict 155
- solar ultraviolet radiation 91
- solid fuel use 73, 91, 98–9, 109, 110
- Solow, Robert Merton 136n
- Somalia 122, 153
- Sommer, Martin 43, 86
- South Africa 66, 141, 148
- South Asia 87, 101, 159; alternative scenarios for life expectancy 68, 69, 77–8; child mortality due to diarrheal diseases 97; child mortality related to climate change 108; forecast for obesity rates 80; GISMO forecasts of child mortality 63; IFs base case forecasts for child mortality 145; IFs forecasts in relation to global goals 59, 60, 126; in IFs integrated scenario analysis 150, 151, 152–3, 154; levels of solid fuel use 98, 99; nutritional shortfalls and undernutrition levels 75, 77; patterns of life expectancy 53; population as vulnerable to noncommunicable diseases 144; working-age demographics 129
- Southern Europe 83
- Sridhar, Devi 26
- stem cell research and treatments 23
- stomach cancer 82
- “stunting” 120–1, 122–3, 131, 132, 134
- sub-Saharan Africa 28n, 70, 83, 87; alternative scenarios for life expectancy 68–9, 77, 123; antiretroviral treatment campaigns 120; child mortality due to diarrheal diseases 97; child mortality related to climate change 108; effect of mortality changes on GDP 128, 129, 135; GISMO forecasts of child mortality 63, 64; health demographics affecting economic growth 127, 129, 130, 131, 159; IFs adjusted base case forecasts for mortality 145; in IFs comparisons of changing disease burden 56–7, 58; IFs forecasts in relation to global goals 59, 60, 126, 127; in IFs integrated scenario analysis 150, 151, 152, 152–3, 153, 154; IFs and UNPD forecasts of child mortality 62; impact of AIDS on life expectancy 2, 53; increases in overweight and obesity 78, 80, 81; levels of solid fuel use 98, 99; mortality differences with high-income countries 3; nutritional shortfalls and undernutrition levels 75, 77, 88; worst figures for life expectancy 4
- Summers, Lawrence H. 18
- Sweden 12, 140–1
- systems dynamics approaches 36
- Tajikistan 153
- Tamerius, James D. 104
- technological advance: and biological limits 23–4, 145, 147; debates over economics and ethics of 23; dimensions in integrated scenario analysis 146, 147, 155; and elders’ consumption of health care resources 124; as function of human activity 4, 6, 20, 23, 139; and increase in food production 76; and reduction in communicable diseases 24, 142; and time as proxy for 7, 16, 20, 22–3, 27, 69–70, 73; varying influences on obesity rates 81
- technology transfer 24, 26, 142
- technophysio evolution 28, 115, 121
- Thun, Michael 82
- timber, overuse of resources 136
- time: as factor in GBD formulations 7, 16, 23, 145; as factor in savings and capital growth 133; historical increase in longevity 140–1; lag between BMI and cause-specific mortality 80–1; limits in health forecasting 156; period between stages in adult smoking prevalence 8; in Preston’s study of cross-country income/health relationship 19, 23–4; as variable in drivers of health outcomes 7, 16, 20, 22–3, 27, 35, 69–70; as variable in IFs combined risk analysis 110–11, 158
- tobacco use 10, 23, 24; alternative scenarios 84–5; drivers and forecasts 82–4; as proximate health risk factor 72, 109, 110, *see also* smoking
- trachoma 94, 95, 96
- tropical forests 136
- tuberculosis 5, 26, 34, 55, 142
- tuna, overuse of resources 136
- Turkey 141
- UNAIDS *see* Joint United Nations Programme on HIV/AIDS (UNAIDS)
- uncertainties: around global health futures 27–8, 154–5; around human-based factors 6, 23, 27
- undernutrition: danger of overuse of fossil groundwater 159; due to climate change affecting crop production 106, 107, 158; due to economic and environmental decline 104, 106; in IFs risk analysis 46–7, 73, 74, 110, 158, *see also* childhood undernutrition
- UN Food and Agricultural Organization (FAO) 63, 77
- UNICEF (United Nations Children’s Fund) 96, 137n
- United Kingdom 24–5, 61, 82, 83
- United Nations 31
- United Nations Declaration of Universal Human Rights 5
- United Nations Development Programme (UNDP) 137n
- United Nations Environment Programme (UNEP), *Global Environmental Outlook-4* 32
- United Nations International Children’s Fund 14
- United Nations Population Division (UNPD) 33, 40, 53, 64; and IFs life expectancy forecasts 61–2, 70, 143; World Population Prospects database 10
- United States Census Bureau 33
- United States Centers for Disease Control (CDC) 36, 38
- United States of America 21, 24, 25, 82, 83; rise in levels of obesity and overweight 78, 79, 144; trend in cardiovascular disease mortality rates 23, 144
- urban areas 96, 104, *see also* air pollution (outdoor urban)
- urbanization 64, 92
- U.S. Agency for International Development 14
- U.S. Army 121
- U.S. National Institute of Aging 13vaccination 4, 16, 23, 24, 26, 28n, 142
- vaccines 5
- vehicle ownership and fatality rates 66–7, 85–7, 88
- violence 69, 70
- vulnerable populations 10
- Wang, Jia 121
- water systems 4; cholera outbreak linked with 90; environmental risk factor 27, 63–4, 72, 73, 91, 94, 95–7, 111; improvement of 7, 16; MDG for environmental sustainability 5, 95; unsafe water in IFs combined risk analysis 110, 158, *see also* sanitation systems
- Weil, David N. 117, 121, 123
- welfare 25, 118
- Western Europe 83

- WHO *see* World Health Organization
- Wilkinson, Richard G. 22
- women: affected by diseases related to indoor air pollution 98; education and better health outcomes 19, 20; forecasts for obesity rates 80; gaps between countries in health and life expectancy 4; historical patterns in smoking rates 82, 84; life expectancy of Japanese 4, 56, 143, 145; as often excluded from health improvements 160, *see also* fertility; maternal conditions; maternal mortality
- Woodruff, Rosalie 104
- World Bank 18, 19, 63; approach to combined risk analysis 109–10; Disease Control Priorities project 34, 109; estimates of PM concentrations 101; global health initiatives 26; road traffic fatalities forecasts 66–7, 85, 86; study of private savings rates 125
- World Commission on Environment and Development, 1987 (Brundtland) 30
- World Development Report* (World Bank, 1993) 19, 34
- World Health Organization (WHO): aims and organization 5; approach to combined risk analysis 109–10; as central in fight against communicable diseases 142, 143; development of structural models 34; estimates of disease from air pollution 98, 100, 102; forecasts for obesity rates 79, 80; importance in post-World War II era 24; International Classification of Diseases (ICD) system 10–11; push for global health governance 26–7; recent figures for underweight children 75; reports on smoking and tobacco use 82, 83; study on cause-of-death data 11; World Health Survey (WHS) 14, *see also* Commission on Social Determinants of Health (CSDH, 2008); Comparative Risk Assessment (CRA) project; Global Burden of Disease (GBD) project; Global Water Supply and Sanitation Assessment
- World War I 83
- years lived with disability (YLD) measure 15, 34, 48, 58, 62–3, 122
- years of life lost (YLL) 13, 15, 34, 48, 62–3; and changing disease burden 58, 126–7, 149, 151; comparative risk analysis of global scenarios 108–9, 110
- Yemen 12, 13
- Young, Alwyn 119b
- young people 83, 130
- Zimbabwe 2, 143



